The Journal of Cell Biology

EDITOR-IN-CHIEF Ira Mellman

EDITORS Don W. Cleveland
Werner Franke
Elaine Fuchs
W. James Nelson
Louis F. Reichardt
Randy Schekman
Kenneth M. Yamada

REVIEWS EDITORS Karen Dell
Louis F. Reichardt

EDITORIAL BOARD

Kathryn Anderson	Ulrich Hartl	Leslie Parise
Richard G.W. Anderson	Nobutaka Hirokawa	Mu-ming Poo
Andrew Belmont	H. Robert Horvitz	Martin Raff
Vann Bennett	Arthur Horwich	Natasha V. Raikhel
Marianne Bronner-Fraser	Alan Rick Horwitz	Tom A. Rapoport
Eric J. Brown	Tony Hunter	Howard Riezman
Kevin P. Campbell	Keith Joiner	Daniel B. Rifkin
Lewis Cantley	Eric Karsenti	Mark Rose
John S. Condeelis	Hynda Kleinman	Joshua Sanes
Caroline Damsky	Douglas Koshland	Richard Scheller
Pietro De Camilli	Arthur D. Lander	Trina Schroer
Elisabetta Dejana	Jeanne Lawrence	Jean Schwarzbauer
Ray Deshaies	Leslie Leinwand	Masatoshi Takeichi
David Drubin	Richard Lewis	Shoichiro Tsukita
William Earnshaw	Joan Massague	David L. Vaux
Scott Emr	Jacopo Meldolesi	Junying Yuan
Larry Gerace	Timothy J. Mitchison	Graham Warren
Larry Goldstein	Randall T. Moon	Colin Watts
Alan Hall	Bjorn Olsen	Marino Zerial

MANAGING EDITOR Michael T. Rossner

EDITORIAL ASSISTANTS Helen Lee • Sati Motieram • Brandy Murphy • Adaobi Obi

COPYEDITING AND PRODUCTION Aisha Caruth • Davide R. Dickson • Erinn A. Grady • Kiran Mahto

PRODUCTION MANAGER Suzanne M. Runyan

ELECTRONIC PUBLISHING MGR Robert J. O'Donnell

Volume 148, 2000

PRO BONO HUMANI GENERIS
The Rockefeller University
1901

Published biweekly by
The Rockefeller University Press
http://www.jcb.org

Copyright © 2000 by The Rockefeller University Press

Contents:

Volume 148, Number 1, January 10, 2000

Editorial

A New Year's Letter from The Editor.
I. Mellman

In Brief

Multistep peroxisome assembly.
Of Kettins and Titins.
H_2O_2 inhibits nuclear import.
Multiple roles for LIN-5 in mitosis.
A catenin for strong adhesion.
W.A. Wells

Mini-Review

1 **F-actin bundles are derivatives of microvilli: What does this tell us about how bundles might form?**
D.J. DeRosier and L.G. Tilney

Regular Articles

7 **Hydrogen peroxide inhibition of nuclear protein import is mediated by the mitogen-activated protein kinase, ERK2.**
M.P. Czubryt, J.A. Austria, and G.N. Pierce

17 **Multiple domains in caveolin-1 control its intracellular traffic.**
T. Machleidt, W.-P. Li, P. Liu, and R.G.W. Anderson

29 **Fusion of small peroxisomal vesicles in vitro reconstructs an early step in the in vivo multistep peroxisome assembly pathway of *Yarrowia lipolytica*.**
V.I. Titorenko, H. Chan, and R.A. Rachubinski

45 **Correlative light-electron microscopy reveals the tubular-saccular ultrastructure of carriers operating between Golgi apparatus and plasma membrane.**
R.S. Polishchuk, E.V. Polishchuk, P. Marra, S. Alberti, R. Buccione, A. Luini, and A.A. Mironov

59 **Caspase-dependent Cdk activity is a requisite effector of apoptotic death events.**
K.J. Harvey, D. Lukovic, and D.S. Ucker

73 **LIN-5 is a novel component of the spindle apparatus required for chromosome segregation and cleavage plane specification in *Caenorhabditis elegans*.**
M.A. Lorson, H.R. Horvitz, and S. van den Heuvel

87 **Regulation of actin filament cross-linking and bundle shape in *Drosophila* bristles.**
L.G. Tilney, P.S. Connelly, K.A. Vranich, M.K. Shaw, and G.M. Guild

101 **Requirements of Kettin, a giant muscle protein highly conserved in overall structure in evolution, for normal muscle function, viability, and flight activity of *Drosophila*.**
S. Hakeda, S. Endo, and K. Saigo

115 **Filamin 2 (FLN2): A muscle-specific sarcoglycan interacting protein.**
T.G. Thompson, Y.-M. Chan, A.A. Hack, M. Brosius, M. Rajala, H.G.W. Lidov, E.M. McNally, S. Watkins, and L.M. Kunkel

127 **Cell spreading and lamellipodial extension rate is regulated by membrane tension.**
D. Raucher and M.P. Sheetz

137 **Potentiation of Fcε receptor I–activated Ca^{2+} current (I_{CRAC}) by cholera toxin: Possible mediation by ADP ribosylation factor.**
M.A. McCloskey and L. Zhang

147 **PSD-95 and SAP97 exhibit distinct mechanisms for regulating K^+ channel surface expression and clustering.**
A.M. Tiffany, L.N. Manganas, E. Kim, Y.-P. Hsueh, M. Sheng, and J.S. Trimmer

159 **Dual palmitoylation of PSD-95 mediates its vesiculotubular sorting, postsynaptic targeting, and ion channel clustering.°**
A.E. El-Husseini, S.E. Craven, D.M. Chetkovich, B.L. Firestein, E. Schnell, C. Aoki, and D.S. Bredt

173 **Epithelial mesenchymal transition by c-Fos estrogen receptor activation involves nuclear translocation of β-catenin and upregulation of β-catenin/lymphoid enhancer binding factor-1 transcriptional activity.**
A. Eger, A. Stockinger, B. Schaffhauser, H. Beug, and R. Foisner

189 **Selective uncoupling of $p120^{ctn}$ from E-cadherin disrupts strong adhesion.**
M.A. Thoreson, P.Z. Anastasiadis, J.M. Daniel, R.C. Ireton, M.J. Wheelock, K.R. Johnson, D.K. Hummingbird, and A.B. Reynolds

203 **Monocytes induce reversible focal changes in vascular endothelial cadherin complex during transendothelial migration under flow.**
J.R. Allport, W.A. Muller, and F.W. Luscinskas

217 ADDITIONS AND CORRECTIONS

°The online version of this article contains supplemental material.

Volume 148, Number 2, January 24, 2000

In Brief

Role for myosin in actin polymerization.
Characterizing transport systems in vitro.
Pre-mRNPs bind specific fibers in the nucleoplasm.
Mitotic silencing of rDNA transcription and pre-rRNA processing.
A.W. Dove

Comments

219 **The tails of two myosins.**
L.M. Machesky

223 **Nuclear factor-κB to the rescue of cytokine-induced neuronal survival.**
P. Ernfors

Mini-Review

227 **The elusive functions of proteoglycans: In vivo veritas.**
A.D. Lander and S.B. Selleck

Brief Reports

233 **Polyploidy induces centromere association.**
E. Martinez-Perez, P.J. Shaw, and G. Moore

239 **Nuclear eukaryotic initiation factor 4E (eIF4E) colocalizes with splicing factors in speckles.**
J. Dostie, F. Lejbkowicz, and N. Sonenberg

247 **nSec1 binds a closed conformation of syntaxin1A.**
B. Yang, M. Steegmaier, L.C. Gonzalez, Jr., and R.H. Scheller

253 **RhoA function in lamellae formation and migration is regulated by the α6β4 integrin and cAMP metabolism.**
K.L. O'Connor, B.-K. Nguyen, and A.M. Mercurio

Regular Articles

259 **In vivo release of mitotic silencing of ribosomal gene transcription does not give rise to precursor ribosomal RNA processing.**
V. Sirri, P. Roussel, and D. Hernandez-Verdun

271 **Electron tomography reveals posttranscriptional binding of pre-mRNPs to specific fibers in the nucleoplasm.**
F. Miralles, L.-G. Öfverstedt, N. Sabri, Y. Aissouni, U. Hellman, U. Skoglund, and N. Visa

283 **Promyelocytic leukemia (PML) nuclear bodies are protein structures that do not accumulate RNA.**
F.-M. Boisvert, M.J. Hendzel, and D.P. Bazett-Jones

293 **An ATP-dependent, Ran-independent mechanism for nuclear import of the U1A and U2B″ spliceosome proteins.**
M. Hetzer and I.W. Mattaj

305 **Golgi alkalinization by the papillomavirus E5 oncoprotein.**
F. Schapiro, J. Sparkowski, A. Adduci, F. Suprynowicz, R. Schlegel, and S. Grinstein

317 **A cell-free system for regulated exocytosis in PC12 cells.**
J. Avery, D.J. Ellis, T. Lang, P. Holroyd, D. Riedel, R.M. Henderson, J.M. Edwardson, and R. Jahn

325 **Cytokine-induced nuclear factor kappa B activation promotes the survival of developing neurons.**
G. Middleton, M. Hamanoue, Y. Enokido, S. Wyatt, D. Pennica, E. Jaffray, R.T. Hay, and A.M. Davies

333 **Reciprocal role of ERK and NF-κB pathways in survival and activation of osteoclasts.**
T. Miyazaki, H. Katagiri, Y. Kanegae, H. Takayanagi, Y. Sawada, A. Yamamoto, M.P. Pando, T. Asano, I.M. Verma, H. Oda, K. Nakamura, and S. Tanaka

343 **Homeobox B3 promotes capillary morphogenesis and angiogenesis.**
C. Myers, A. Charboneau, and N. Boudreau

353 **A role for myosin-I in actin assembly through interactions with Vrp1p, Bee1p, and the Arp2/3 complex.**
M. Evangelista, B.M. Klebl, A.H.Y. Tong, B.A. Webb, T. Leeuw, E. Leberer, M. Whiteway, D.Y. Thomas, and C. Boone

363 **Direct involvement of yeast type I myosins in Cdc42-dependent actin polymerization.**
T. Lechler, A. Shevchenko, A. Shevchenko, and R. Li

375 ***Caenorhabditis elegans* UNC-45 is a component of muscle thick filaments and colocalizes with myosin heavy chain B, but not myosin heavy chain A.**
W. Ao and D. Pilgrim

385 **ErbB2 is necessary for induction of carcinoma cell invasion by ErbB family receptor tyrosine kinases.**
K.S.R. Spencer, D. Graus-Porta, J. Leng, N.E. Hynes, and R.L. Klemke

Volume 148, Number 3, February 7, 2000

In Brief

Proteins on the move.
Telling front from back.
Mitogenesis versus hypertrophy.
W.A. Wells

Mini-Review

399 **Regulation of cadherin adhesive activity.**
B.M. Gumbiner

Regular Articles

405 **A role for centrin 3 in centrosome reproduction.**
S. Middendorp, T. Küntziger, Y. Abraham, S. Holmes, N. Bordes, M. Paintrand, A. Paoletti, and M. Bornens

417 **Organization of the yeast Zip1 protein within the central region of the synaptonemal complex.**
H. Dong and G.S. Roeder

427 **Isolation of a ribonucleoprotein complex involved in mRNA localization in *Drosophila* oocytes.**
J.E. Wilhelm, J. Mansfield, N. Hom-Booher, S. Wang, C.W. Turck, T. Hazelrigg, and R.D. Vale

441 **Coordinated spindle assembly and orientation requires Clb5p-dependent kinase in budding yeast.**
M. Segal, D.J. Clarke, P. Maddox, E.D. Salmon, K. Bloom, and S.I. Reed

453 **Mass transport of proform of a KDEL-tailed cysteine proteinase (SH-EP) to protein storage vacuoles by endoplasmic reticulum–derived vesicle is involved in protein mobilization in germinating seeds.**
K. Toyooka, T. Okamoto, and T. Minamikawa

465 **Apg9p/Cvt7p is an integral membrane protein required for transport vesicle formation in the Cvt and autophagy pathways.**
T. Noda, J. Kim, W.-P. Huang, M. Baba, C. Tokunaga, Y. Ohsumi, and D.J. Klionsky

481 **Cdc42 and Rac stimulate exocytosis of secretory granules by activating the IP_3/calcium pathway in RBL-2H3 mast cells.**
E. Hong-Geller and R.A. Cerione

495 **Influenza M2 proton channel activity selectively inhibits trans-Golgi network release of apical membrane and secreted proteins in polarized Madin-Darby canine kidney cells.**
J.R. Henkel, G.A. Gibson, P.A. Poland, M.A. Ellis, R.P. Hughey, and O.A. Weisz

505 **Adenomatous polyposis coli (APC) protein moves along microtubules and concentrates at their growing ends in epithelial cells.°**
Y. Mimori-Kiyosue, N. Shiina, and S. Tsukita

519 **Actin-dependent propulsion of endosomes and lysosomes by recruitment of N-WASP.°**
J. Taunton, B.A. Rowning, M.L. Coughlin, M. Wu, R.T. Moon, T.J. Mitchison, and C.A. Larabell

531 **Role of cofilin in epidermal growth factor–stimulated actin polymerization and lamellipod protrusion.**
A.Y. Chan, M. Bailly, N. Zebda, J.E. Segall, and J.S. Condeelis

543 **Differential regulation of $p27^{Kip1}$ expression by mitogenic and hypertrophic factors: Involvement of transcriptional and posttranscriptional mechanisms.**
M.J. Servant, P. Coulombe, B. Turgeon, and S. Meloche

557 **Oncogenic K-Ras and basic fibroblast growth factor prevent Fas-mediated apoptosis in fibroblasts through activation of mitogen-activated protein kinase.**
H. Kazama and S. Yonehara

567 **Requirement for β-catenin in anterior-posterior axis formation in mice.**
J. Huelsken, R. Vogel, V. Brinkmann, B. Erdmann, C. Birchmeier, and W. Birchmeier

579 **Functional cis-heterodimers of N- and R-cadherins.**
W.-S. Shan, H. Tanaka, G.R. Phillips, K. Arndt, M. Yoshida, D.R. Colman, and L. Shapiro

591 **The tetraspanin CD9 associates with transmembrane TGF-α and regulates TGF-α–induced EGF receptor activation and cell proliferation.**
W. Shi, H. Fan, L. Shum, and R. Derynck

603 **Target-cell contact activates a highly selective capacitative calcium entry pathway in cytotoxic T lymphocytes.**
A. Zweifach

615 **Role of cell surface metalloprotease MT1-MMP in epithelial cell migration over laminin-5.**
N. Koshikawa, G. Giannelli, V. Cirulli, K. Miyazaki, and V. Quaranta

°The online version of this article contains supplemental material.

Volume 148, Number 4, February 21, 2000

In Brief

Comprehensive mapping of the nuclear core complex.
A Bcl-2 homologue in *Drosophila*.
Spatial separation of parental genomes.
New ligand for α-dystroglycan in postsynaptic membranes.
Coupling exocytosis and compensatory endocytosis.

A.W. Dove

Comment

625 ***Drosophila* apoptosis and Bcl-2 genes: Outliers fly in.**

P. Chen and J.M. Abrams

Brief Report

629 **Spatial separation of parental genomes in preimplantation mouse embryos.**

W. Mayer, A. Smith, R. Fundele, and T. Haaf

Regular Articles

635 **The yeast nuclear pore complex: Composition, architecture, and transport mechanism.**

M.P. Rout, J.D. Aitchison, A. Suprapto, K. Hjertaas, Y. Zhao, and B.T. Chait

653 **Assembly of smooth muscle myosin by the 38k protein, a homologue of a subunit of pre-mRNA splicing factor-2.**

T. Okagaki, A. Nakamura, T. Suzuki, K. Ohmi, and K. Kohama

665 **Gelsolin deficiency blocks podosome assembly and produces increased bone mass and strength.**

M. Chellaiah, N. Kizer, M. Silva, U. Alvarez, D. Kwiatkowski, and K.A. Hruska

679 **Regulation of skeletal progenitor differentiation by the BMP and retinoid signaling pathways.**

A.D. Weston, V. Rosen, R.A.S. Chandraratna, and T.M. Underhill

691 **Interaction among GSK-3, GBP, Axin, and APC in *Xenopus* axis specification.**

G.H. Farr III, D.M. Ferkey, C. Yost, S.B. Pierce, C. Weaver, and D. Kimelman

703 **Debcl, a proapoptotic Bcl-2 homologue, is a component of the *Drosophila melanogaster* cell death machinery.**

P.A. Colussi, L.M. Quinn, D.C.S. Huang, M. Coombe, S.H. Read, H. Richardson, and S. Kumar

715 **Intracellular distribution of mammalian protein kinase A catalytic subunit altered by conserved Asn2 deamidation.**

R. Pepperkok, A. Hotz-Wagenblatt, N. König, A. Girod, D. Bossemeyer, and V. Kinzel

727 **Induction of caveolae in the apical plasma membrane of Madin-Darby canine kidney cells.**

P. Verkade, T. Harder, F. Lafont, and K. Simons

741 **Live *Salmonella* recruits *N*-ethylmaleimide–sensitive fusion protein on phagosomal membrane and promotes fusion with early endosome.**

K. Mukherjee, S.A. Siddiqi, S. Hashim, M. Raje, S.K. Basu, and A. Mukhopadhyay

755 **Exocytotic insertion of calcium channels constrains compensatory endocytosis to sites of exocytosis.**

R.M. Smith, B. Baibakov, Y. Ikebuchi, B.H. White, N.A. Lambert, L.K. Kaczmarek, and S.S. Vogel

769 **A transmembrane segment determines the steady-state localization of an ion-transporting adenosine triphosphatase.**

L.A. Dunbar, P. Aronson, and M.J. Caplan

779 **Exogenous expression of N-cadherin in breast cancer cells induces cell migration, invasion, and metastasis.**

R.B. Hazan, G.R. Phillips, R.F. Qiao, L. Norton, and S.A. Aaronson

791 **Oncogenic Raf-1 disrupts epithelial tight junctions via downregulation of occludin.**

D. Li and R.J. Mrsny

801 **The small leucine-rich repeat proteoglycan biglycan binds to α-dystroglycan and is upregulated in dystrophic muscle.**

M.A. Bowe, D.B. Mendis, and J.R. Fallon

811 **Shedding of syndecan-1 and -4 ectodomains is regulated by multiple signaling pathways and mediated by a TIMP-3–sensitive metalloproteinase.**

M.L. Fitzgerald, Z. Wang, P.W. Park, G. Murphy, and M. Bernfield

825 **Tissue transglutaminase is an integrin-binding adhesion coreceptor for fibronectin.**

S.S. Akimov, D. Krylov, L.F. Fleischman, and A.M. Belkin

Volume 148, Number 5, March 6, 2000

In Brief

Regulation of wrapping.
Tracking movements.
Pulling fibronectin into shape.
Making the ER without microtubules.
W.A. Wells

Comment

839 **Precursor cell transitions in oligodendrocyte development.**
M. Noble

Mini-Review

843 **Untying the Gordian knot of cytokinesis: Role of small G proteins and their regulators.**
S.N. Prokopenko, R. Saint, and H.J. Bellen

Brief Reports

849 **Nuclear export of MAP kinase (ERK) involves a MAP kinase kinase (MEK)-dependent active transport mechanism.**
M. Adachi, M. Fukuda, and E. Nishida

857 **Reduced loading of intracellular Ca^{2+} stores and downregulation of capacitative Ca^{2+} influx in Bcl-2–overexpressing cells.**
P. Pinton, D. Ferrari, P. Magalhães, K. Schulze-Osthoff, F. Di Virgilio, T. Pozzan, and R. Rizzuto

863 **In situ biochemical demonstration that P-glycoprotein is a drug efflux pump with broad specificity.**
Y. Chen and S.M. Simon

Regular Articles

871 ***MAD3* encodes a novel component of the spindle checkpoint which interacts with Bub3p, Cdc20p, and Mad2p.**
K.G. Hardwick, R.C. Johnston, D.L. Smith, and A.W. Murray

883 **In vitro formation of the endoplasmic reticulum occurs independently of microtubules by a controlled fusion reaction.**
L. Dreier and T.A. Rapoport

899 **Mechanism of residence of cytochrome b(5), a tail-anchored protein, in the endoplasmic reticulum.**
E. Pedrazzini, A. Villa, R. Longhi, A. Bulbarelli, and N. Borgese

915 **Regulation of HMG-CoA reductase degradation requires the P-type ATPase Cod1p/Spf1p.**
S.R. Cronin, A. Khoury, D.K. Ferry, and R.Y. Hampton

925 **The Emp24 complex recruits a specific cargo molecule into endoplasmic reticulum–derived vesicles.**
M. Muñiz, C. Nuoffer, H.-P. Hauri, and H. Riezman

931 **PEX19 binds multiple peroxisomal membrane proteins, is predominantly cytoplasmic, and is required for peroxisome membrane synthesis.**
K.A. Sacksteder, J.M. Jones, S.T. South, X. Li, Y. Liu, and S.J. Gould

945 **Dynein-mediated cargo transport in vivo: A switch controls travel distance.**
S.P. Gross, M.A. Welte, S.M. Block, and E.F. Wieschaus

957 **Phosphorylation of tyrosine residues 31 and 118 on paxillin regulates cell migration through an association with CRK in NBT-II cells.**
V. Petit, B. Boyer, D. Lentz, C.E. Turner, J.P. Thiery, and A.M. Vallés

971 **Long-term culture of purified postnatal oligodendrocyte precursor cells: Evidence for an intrinsic maturation program that plays out over months.**
D.G. Tang, Y.M. Tokumoto, and M.C. Raff

985 **Massive idiosyncratic exon skipping corrects the nonsense mutation in dystrophic mouse muscle and produces functional revertant fibers by clonal expansion.**
Q.L. Lu, G.E. Morris, S.D. Wilton, T. Ly, O.V. Artem'yeva, P. Strong, and T.A. Partridge

997 **Sphingolipid–cholesterol rafts diffuse as small entities in the plasma membrane of mammalian cells.**
A. Pralle, P. Keller, E.-L. Florin, K. Simons, and J.K.H. Hörber

1009 **Schwann cell myelination requires timely and precise targeting of P_0 protein.**
X. Yin, G.J. Kidd, L. Wrabetz, M.L. Feltri, A. Messing, and B.D. Trapp

1021 **P_0 glycoprotein overexpression causes congenital hypomyelination of peripheral nerves.**
L. Wrabetz, M.L. Feltri, A. Quattrini, D. Imperiale, S. Previtali, M. D'Antonio, R. Martini, X. Yin, B.D. Trapp, L. Zhou, S.-Y. Chiu, and A. Messing

1035 **A dual role of *erbB2* in myelination and in expansion of the Schwann cell precursor pool.**
A.N. Garratt, O. Voiculescu, P. Topilko, P. Charnay, and C. Birchmeier

1047 **Syndapin isoforms participate in receptor-mediated endocytosis and actin organization.**
B. Qualmann and R.B. Kelly

1063 **Physiological role of gap-junctional hemichannels: Extracellular calcium-dependent isosmotic volume regulation.**
A.P. Quist, S.K. Rhee, H. Lin, and R. Lal

1075 **Integrin dynamics and matrix assembly: Tensin-dependent translocation of $\alpha_5\beta_1$ integrins promotes early fibronectin fibrillogenesis.**
R. Pankov, E. Cukierman, B.-Z. Katz, K. Matsumoto, D.C. Lin, S. Lin, C. Hahn, and K.M. Yamada

Volume 148, Number 6, March 20, 2000

In Brief

Reverse transcriptase in mature spermatozoa.
Requirements for reglucosylation of glycoproteins.
A new cascade of trafficking protein interactions.
Rap1 mediates CD31-induced integrin adhesion.
A.W. Dove

Mini-Reviews

1091 **The nucleolus and the four ribonucleoproteins of translation.**
T. Pederson and J.C. Politz

1097 **Nuclear migration: From fungi to the mammalian brain.**
N.R. Morris

1103 **Dynamin and FtsZ: Missing links in mitochondrial and bacterial division.**
H.P. Erickson

Brief Reports

1107 **Reverse transcriptase activity in mature spermatozoa of mouse.**
R. Giordano, A.R. Magnano, G. Zaccagnini, C. Pittoggi, N. Moscufo, R. Lorenzini, and C. Spadafora

1115 **Nucleocytoplasmic shuttling of the Cdc42p exchange factor Cdc24p.**
A. Nern and R.A. Arkowitz

1123 **Conformational requirements for glycoprotein reglucosylation in the endoplasmic reticulum.**
E.S. Trombetta and A. Helenius

1131 **Caspase recruitment domain (CARD)-dependent cytoplasmic filaments mediate bcl10-induced NF-κB activation.**
C. Guiet and P. Vito

1141 **Synaptotagmin VII regulates Ca^{2+}-dependent exocytosis of lysosomes in fibroblasts.**
I. Martinez, S. Chakrabarti, T. Hellevik, J. Morehead, K. Fowler, and N.W. Andrews

1151 **The small GTPase, Rap1, mediates CD31-induced integrin adhesion.**
K.A. Reedquist, E. Ross, E.A. Koop, R.M.F. Wolthuis, F.J.T. Zwartkruis, Y. van Kooyk, M. Salmon, C.D. Buckley, and J.L. Bos

1159 **Hyaluronic acid (HA) binding to CD44 activates Rac1 and induces lamellipodia outgrowth.°**
S. Oliferenko, I. Kaverina, J.V. Small, and L.A. Huber

Regular Articles

1165 **Ubinuclein, a novel nuclear protein interacting with cellular and viral transcription factors.**
S. Aho, M. Buisson, T. Pajunen, Y.W. Ryoo, J.-F. Giot, H. Gruffat, A. Sergeant, and J. Uitto

1177 **Gemin4: A novel component of the SMN complex that is found in both gems and nucleoli.**
B. Charroux, L. Pellizzoni, R.A. Perkinson, J. Yong, A. Shevchenko, M. Mann, and G. Dreyfuss

1187 **Subcellular compartmentalization of E2F family members is required for maintenance of the postmitotic state in terminally differentiated muscle.**
R.M. Gill and P.A. Hamel

1203 **Cholera toxin is exported from microsomes by the Sec61p complex.**
A. Schmitz, H. Herrgen, A. Winkeler, and V. Herzog

1213 **Toc64, a new component of the protein translocon of chloroplasts.**
K. Sohrt and J. Soll

1223 **Proteins needed for vesicle budding from the Golgi complex are also required for the docking step of homotypic vacuole fusion.**
A. Price, W. Wickner, and C. Ungermann

1231 **The docking stage of yeast vacuole fusion requires the transfer of proteins from a cis-SNARE complex to a Rab/Ypt protein.**
A. Price, D. Seals, W. Wickner, and C. Ungermann

1239 **Active caspases and cleaved cytokeratins are sequestered into cytoplasmic inclusions in TRAIL-induced apoptosis.**
M. MacFarlane, W. Merrison, D. Dinsdale, and G.M. Cohen

°The online version of this article contains supplemental material.

1255 **Kinesin superfamily protein 3 (KIF3) motor transports fodrin-associating vesicles important for neurite building.**

S. Takeda, H. Yamazaki, D.-H. Seog, Y. Kanai, S. Terada, and N. Hirokawa

1267 **β-Arrestin–dependent endocytosis of proteinase-activated receptor 2 is required for intracellular targeting of activated ERK1/2.**

K.A. DeFea, J. Zalevsky, M.S. Thoma, O. Déry, R.D. Mullins, and N.W. Bunnett

1283 **Determination of cell adhesion sites of neuropilin-1.**

M. Shimizu, Y. Murakami, F. Suto, and H. Fujisawa

1295 **The tissue plasminogen activator (tPA)/plasmin extracellular proteolytic system regulates seizure-induced hippocampal mossy fiber outgrowth through a proteoglycan substrate.**

Y.P. Wu, C.-J. Siao, W. Lu, T.-C. Sung, M.A. Frohman, P. Milev, T.H. Bugge, J.L. Degen, J.M. Levine, R.U. Margolis, and S.E. Tsirka

1305 **Bacterial exposure induces and activates matrilysin in mucosal epithelial cells.**

Y.S. López-Boado, C.L. Wilson, L.V. Hooper, J.I. Gordon, S.J. Hultgren, and W.C. Parks

1317 **AUTHOR INDEX FOR VOLUME 148**

1325 **SUBJECT INDEX FOR VOLUME 148**